



# Locking system 1325 with variable use of locking sets

## Award-winning swinghandle

---

A clear form language with ergonomic lines characterizes the design of the new 1325 swinghandle. For this, EMKA has been awarded with the iF product design award.


The new product system 1325 is a further development of the well-proven programs 1125 and 1225. In addition to the visual highlights of the handle, the system offers further functional benefits as well as easier and thus faster assembly.

The handles are particularly variable thanks to the exchangeable locking components. These allow flexible use of the handle system according to the various requirements of individual countries, industries and customers.





**product  
design award**



Bridge

---

Adapter for cam

---

Dish

---

Handle with shaft

---

Sliding cap

---



Locking component

---



## Your benefits

---

- Suitable for cut out 50/50/50 and 150
- Pre-assembled swinghandle and dish
- Consistent ease of use
- Spring-mounted handle
- Usable inside and outside of the seal
- Flat design (23 mm + 5 mm dust protection slider)
- Right and left usable
- Exchangeable locking components
- High IP Rating up to IP 65
- Parts protruding into the cabinet of low flammability (PA6 GF30 V0)
- Innovative, patented design
- Individual branding possible

# Exchangeable locking components

---

The two different handle sizes and exchangeable locking components provide a maximum of flexibility, e.g. in the form:


- Profile half cylinder
- Round cylinder
- Square
- Triangular
- Double bit
- Hexagon female
- Square female
- Daimler Benz
- Slot
- Crown type
- Eastern Europe Ø 13 half round



# Maximum usable clearance

Perfectly matching components for the locking and the hinge side make very effective use of particularly narrow bending areas.

They provide a maximum of usable clearance for more space and elbow-room.



Alternative hinge



# Ingenious Locking Technology

---

The product program by EMKA has a consistently modular structure. This makes it possible to choose from a comprehensive range of system components of locks, hinges and seals.

The wide range of combination and assembly options are the key features of EMKA locking systems and guarantee the optimum interaction of the individual assemblies.

In addition, there are numerous branding options in corporate design and a wide range of accessories.



Locking rod complete  
with flat rod 14x3





Rod guide



Rod control  
with cam



Connector



Guiding shoe



Seal



Hinge



Accessories



Swinghandle with  
individual branding



[www.EMKA.com](http://www.EMKA.com)

EMKA Beschlagteile GmbH & Co. KG  
Phone: +49/2051/273-0  
42551 Velbert, Germany  
[info@emka.com](mailto:info@emka.com)