



Locking system 1325
with locking components



Award-winning swinghandle

A clear design language with an ergonomic layout of the lines shape the design of the new swinghandle 1325. For this EMKA has been awarded with the iF product design award.

The new product system 1325 is a further development of the well-proven programs 1125 and 1225. In addition to the visual highlights of the handle, the



system provides further functional benefits as well as simpler and thus quicker mounting.

The handles are particularly variable due to the exchangeable locking components. They make a flexible use of the handle systems possible in agreement with the different requirements of individual countries, industries and customers.

Bridge

Adapter for cam

Pull


Handle with shaft

Sliding cap



Product benefits

- Suitable for cut-out 50/50/50 and 150
- Pre-assembled swinghandle and pull
- Consistent ease of use
- Spring-mounted handle
- For outside and inside the gasketing
- Flat design (23mm+5mm dust protection)
- RH and LH application



Locking component

Screwed
cap IP 65



- Exchangeable locking components
- High IP Rating up to IP 65
- Parts protruding into the cabinet of low flammability (PA6 GF30 VO)
- Innovative, patented design
- Individual branding possible



Exchangeable locking components

The two different handle-sizes and exchangeable locking components provide a maximum of flexibility e. g. in the form:

- Profile half cylinder
- Round cylinder
- Square
- Triangular
- Double bit
- Hexagon female
- Female Square
- Daimler Benz
- Slot
- Crown type
- Eastern Europe Ø 13 half-round



alternative
hinge



Max. usable clearance

Perfectly matching components for the locking and the hinge side make very effective use of particularly narrow bending areas. They provide a maximum of usable clearance for more space and elbow-room.



Locking rod complete
with flat rod 14x3



Rod guide



Guiding



Rod control with cam



Bridge

Ingenious Locking Technology

The product program by EMKA has a consistently modular structure. This makes it possible to choose from a comprehensive range of system components of locks, hinges and gasketing.

The manifold possibilities of combination and mounting are the essential features of the EMKA locking



g shoe



Gasketing



Swinghandle with individual branding



Edge



Hinge



Accessories

systems and guarantee the optimum interaction of the individual components.

In addition, there are numerous branding options in corporate design and a wide range of accessories.



www.emka.com

EMKA Beschlagteile GmbH & Co. KG
Phone: +49/2051/273-0
42551 Velbert, Germany
info@emka.com www.emka.com